DATA TABLE SITE AREA: 7.29 AC PER FULSHEAR, TEXAS - CODE OF ORDINANCES PARKING SYNOPSIS PS REQ'D PS PROVIDED PAD 1 - SMALL RESTAURANT (0.71 AC) (2,500 SF) RESTAURANT (@4 PS/1k) 27 PS (@10.8 PS / 1k) PAD 2 - RETAIL / RESTAURANT (1.57 AC) (12,700 SF) GENERAL (@4 PS/1k) 58 PS (@4.5 PS / 1k) **PAD 3** - RETAIL (1.50 AC) (12,900 SF) GENERAL RETAIL (@4 PS/1k) 67 PS (@5.1 PS / 1k)

299 PS (@5.3 PS / 1k) **OVERALL TOTAL** (55,500 SF)

33 PS (@2.8 PS / 1k)

114 PS (@7.1 PS / 1k)

NOTES:

- 1. CITY OF FULSHEAR DOES NOT SPECIFY PARKING REQUIREMENTS FOR RESTAURANT. GENERALIZED IN "COMMERCIAL USES"
- 2. DAYCARE USE PARKING REQUIREMENTS CALCULATIONS ARE BASED ON 1 PS PER STAFF AND 1 PS PER EVERY 5 STUDENTS. ASSUMED A MAXIMUM CAPACITY OF 16 STAFF AND 40 STUDENTS. PENDING AMOUNTS CONFIRMATION.

CODE RESEARCH

FULSHEAR, TEXAS - CODE OF ORDINANCES

-A PARKING SPACE SHALL BE A MINIMUM OF 9 FEET IN WIDTH BY 18 FEET IN LENGTH. WITH 22 FEET MINIMUM DRIVE. (PROVIDING 9'X20' PARKING STALL AND 26' CROSS ACCESS CIRCULATION DRIVES)

JORDAN RANCH DESIGN CRITERIA AND GUIDELINES - COMMERCIAL (EXCERPT)

SETBACKS

-COMMERCIAL ADJACENT TO COMMERCIAL - NO BUFFER OR FENCE REQUIRED.

-LANDSCAPE SETBACK ALONG JORDAN RANCH BLVD, JORDAN CROSSING BLVD AND/OR TEXAS HERITAGE PARKWAY - 25 FEET.

PARKING

-THE DISTANCE BETWEEN LANDSCAPE PLANTING ISLANDS AND/OR TREE WELLS SHALL BE NO MORE THAN SEVEN (7) PARKING STALLS.

-SHARED PARKING SHOULD BE CONSIDERED WHERE ADJACENT USES HAVE OPPOSITE PEAK TRAFFIC HOURS. A SHARED PARKING AGREEMENT MUST BE SIGNED BY ALL PARTIES AND APPROVED BY THE ARC.

SIGNAGE

-ELEVATION AT THE BASE OF ALL GROUND MOUNTED SIGN FACES SHOULD BE NO MORE THAN FIVE FEET (5') ABOVE THE SURROUNDING CURB ELEVATION AND THE SLOPE OF THE SURROUNDING AREA MAY NOT EXCEED 12%. -THE LEADING EDGE OF THE SIGN SHOULD BE A MINIMUM OF FIVE FEET (5') FROM

THE PROPERTY LINE AND THE SIGN FACE SHOULD BE PERPENDICULAR TO THE RIGHT-OF-WAY.

STREETSCAPE

(NOT SHOWN DUE TO PRELIMINARY NATURE OF SITE PLAN)

-TREES SHALL BE PLANTED AT A SPACE EQUAL TO ONE (1) TREE FOR EVERY FORTY (40) FEET OF STREET AND SHOULD BE PLANTED WITHIN SIX (6) TO TEN (10) FEET OF THE BACK OF CURB OR SIDEWALK EDGE.

TRASH ENCLOSURE


-ENCLOSURES MUST BE CONSTRUCTED OF THE SAME EXTERIOR MATERIAL AS THE BUILDINGS AND AN MINIMUM SIX FEET (6) IN HEIGHT. WOODEN ENCLOSURES ARE NOT PERMITTED. ALL GATES ON THE ENCLOSURES MUST BE METAL.

PRELIMINARY SITE PLAN



www.identityarchitects.com 713.595.2150

111 Travis Street, Houston, Texas 77002



JORDAN CROSSING BLVD. @ JORDAN RANCH BLVD. BROOKSHIRE, TX

COMMERCIAL DEVELOPMENT

THIS DRAWING IS FOR PRESENTATION PURPOSES ONLY. ANY AND ALL FEATURES, MATTERS AND OTHER INFORMATION DEPICTED HEREON OR CONTAINED HEREIN ARE FOR ILLUSTRATIVE MARKETING PURPOSES ONLY, ARE SUBJECT TO MODIFICATION WITHOUT NOTICE, ARE NOT INTENDED TO BE RELIED UPON BY ANY PARTY AND ARE NOT INTENDED TO CONSTITUTE REPRESENTATIONS AND WARRANTIES

February 2, 2021